

VEMER

Italy's largest producer of innovative Temperature, Measurement & Control Products. Vemer also has a very large range of Energy Meters, Network Analysers, Voltage/Current/Frequency Digital Display Meters, Time Switches, Current Transformers, Thermostats, Pressure, Temperature & Refrigeration Controllers and a range of Insulators.

DIGITAL TIME SWITCHES

SIMPLY SERIES DIGITAL TIME SWITCHES



As simple to set as a mechanical time switch. As accurate and versatile as a digital time switch. The best of both worlds in a very compact package.

SIMPLY-D	Daily Time Switch, 5yr Reserve, 230VAC, 16A 1C/O, 2 modules wide	\$134.47
SIMPLY-W	Weekly Time Switch, 5yr Reserve, 230VAC, 16A 1C/O, 2 modules wide	\$145.16

MEMO TIME SWITCHES



The MEMO range have a larger screen for easier programming and a rear cover for battery replacement. The features include: selectable date format, automatic daylight saving changeover, lockable with a security PIN, manual ON/OFF override and Battery status display.

Functions include: ON/OFF, ON Pulse of 1-59 sec, OFF Pulse of 1-59 sec, cycle timing (on-off sequence) and holiday block-out.



The Memo BT Series can be programmed on a smartphone using Bluetooth via the Vemer Memo Android or Apple App.



The standard Memo range can be programmed using NFC via Android phones and the same Memo App.

Please note that the Memo-DW-E products can only be manually programmed.

MEMO DIGITAL TIME SWITCHES



MEMO-DW-E12*	12VAC/DC Daily/Weekly Time Switch, 3yr Reserve, 16A 1C/O	\$196.06
MEMO-DW-E24*	24VAC/DC Daily/Weekly Time Switch, 3yr Reserve, 16A 1C/O	\$196.06
MEMO-DW-E*	Daily/Weekly Time Switch, 3yr Reserve, 230VAC, 16A 1C/O	\$139.64
MEMO-DW	Daily/Weekly Time Switch, 3yr Reserve, 230VAC, 16A 1C/O with NFC	\$170.75
MEMO-DW2	Daily/Weekly Time Switch, 3yr Reserve, 230VAC, 16A 2C/O with NFC	\$176.29
MEMO-Y	Daily/Weekly/Yearly Time Switch, 3yr Reserve, 230VAC, 16A 1C/O, NFC	\$315.99
MEMO-Y2	Daily/Weekly/Yearly Time Switch, 3yr Reserve, 230VAC, 16A 2C/O, NFC	\$371.30
MEMO-BT1	Daily/Weekly/Yearly/Astro Time Switch, 3yr Reserve, 230VAC, 16A 1C/O	\$201.04
MEMO-BT2	Daily/Weekly/Yearly/Astro Time Switch, 3yr Reserve, 230VAC, 16A 2C/O	\$241.15

ASTRONOMICAL & TWILIGHT SWITCHES



MEMO-AST1	Astronomical Time Switch, 230VAC, 16A 1C/O, 2 modules wide	\$207.24
MICRO-AST	Astronomical Time Switch, 230VAC, 16A 1C/O, 1 modules wide	\$161.24
MEMO-LUX	Programmable Digital Twilight Switch, 16A 1C/O, 2 modules wide	\$335.39

TIME SWITCHES - DIGITAL & MECHANICAL

MEMO BUS



	MEMO-BUS Daily/Weekly/Monthly/Yearly Time Switch Controller - 1C/O expandable to 9C/O	\$395.85
RX4-8A	MEMO-BUS Expansion Unit, 4 x 8A Outputs, 4 modules wide	\$305.28
GEO-1	MEMO-BUS GPS Receiver Module, IP54	\$322.05

MICRO DIGITAL TIME SWITCHES



Micro-D	Daily Time Switch with 4yr Reserve, 230VAC, 16A 1C/O, 1 module wide	\$140.89
Micro-W	Weekly Time Switch with 4yr Reserve, 230VAC, 16 Amp Single Pole, 1 module wide	\$147.37

NAPA MECHANICAL TIME SWITCHES



NAPA-ED	Daily Time Switch, no Reserve, 230VAC, 16A 1C/O, Rear-Panel/DIN Mounting	\$140.77
NAPA-D	Daily Time Switch, 200hr Reserve, 230VAC, 16A 1C/O, Rear-Panel/DIN Mounting	\$151.27
NAPA-W	Weekly Time Switch, 200hr Reserve, 230VAC, 16A 1C/O, Rear-Panel/DIN Mounting	\$392.98

ELO MECHANICAL TIME SWITCHES



ELO-D	Daily Time Switch, 200hr Reserve, 230VAC, 16A 1C/O, one module wide	\$113.46
ELO-W	Weekly Time Switch with 200hr Reserve, 230VAC, 16A 1C/O, one module wide	\$177.53

DUET/ARVO MECHANICAL TIME SWITCHES



DUET-D	Weekly Time Switch, 70hr Reserve, 230VAC, 16A 1C/O, two modules wide	\$125.11
ARVO-D	Daily Time Switch, 72hr Reserve, 230VAC, 16A 1C/O, 2.5 modules wide	\$151.27
ARVO-W	Weekly Time Switch, 72hr Reserve, 230VAC, 16 Amp Single Pole, 2.5 modules wide	\$226.11

TWILIGHT SWITCHES



VELUX	Wall Mounted Twilight Switch, 230VAC, 10A 1C/O, IP54	\$73.53
VEREG	Wall Mounted adjustable Twilight Switch, 230VAC, 10A 1C/O, IP54	\$161.76

POWER ANALYSERS

EV3M SERIES POWER ANALYSERS



EV3M POWER ANALYSERS

The EV3M range are TRMS Electronic Digital Measurement instruments with ultra bright LED displays. The EV3M series Power Analyzers display the main electric measurements of 3 or 4 wire three-phase systems, shown on three LED displays with three digits.

The electric measurements are voltage, current, power, power factor, frequency and neutral current. Available in Panel Mounted or Din Rail Mounted versions.



EV3M-R	1~ & 3~ Phase LED Panel Mounted Power Analyser for 5A CT	\$402.36
EV3M-D	1~ & 3~ Phase LED DIN Rail Mounted Power Analyser for 5A CT	\$402.36

ADR SERIES POWER ANALYSERS



ADR POWER ANALYSERS

The ADR Series measure TRMS (true root-mean-square) values, select AT and VT values, provides current, voltage, phase-shift, active/reactive energy, and frequency values. A total of 57 parameters on 33 pages of a wide backlit display that is self-explanatory and easily scrolled by the use of just 4 keys.

The RS485 MODBUS output makes it possible to store data in chart form and display the quantities measured in graphic form via the ADR-View software.



ADR-D POWER ANALYSERS - DIN RAIL MOUNTED



ADR-	1~ Phase LCD Power Analyzer for 5A CT with RS-485 output	\$425.80
ADR-D 230 D63	1~ Phase LCD Power Analyzer 63 A direct connection	\$446.18
ADR-D-E*	1~ Phase & 3 ~ Phase LCD Power Analyzer for 5A CT with RS-485 output	\$612.06
ADR-D	1~ & 3~ Phase LCD Power Analyser for 5A CT with RS-485 output	\$725.18
ADR-D OUT	1~ & 3~ Phase LCD Power Analyser for 5A CT with 2 programmable C/O	\$933.20
ADR-D 400 D90	3~ Phase LCD Power Analyzer 90A direct connection with RS-485 output	\$823.98
ADR-VIEW	Software and RS485/RS232 interface suitable for ADR Power Analysers	POA

* C.T. Secondary's must not be earthed

ADR-R POWER ANALYSERS - PANEL MOUNTED



ADR-R-E*	1 ~ Phase & 3 ~ Phase LCD Power Analyser for 5A CT with RS-485 output	\$612.06
ADR-R	1~ & 3~ Phase LCD Power Analyser for 5A CT with RS-485 output	\$700.03
ADR-R OUT	1~ & 3~ Phase LCD Power Analyser for 5A CT with 2 programmable C/O	\$852.42
ADR-VIEW	Software and RS485 interface suitable for ADR Power Analyser	POA
EVAD	ADR Adaptor Plate from 96x96mm to 72x72mm	\$36.77

* C.T. Secondary's must not be earthed

ENERGY METER SYSTEM


TECHNICAL INFORMATION



VEMER ENERGY METERS

Vemer have a complete range of both Analogue and Digital Energy Meters and all the necessary components to measure power consumption in complex and large 1~/3~ phase systems.

The CLIP-485 pulse receiver makes it possible to remotely monitor energy consumption. Each CLIP-485 can accept up to 8 Energy Meter output signals and further CLIP-485 devices can be connected together via MODBUS. Energy data can be displayed with the ENERGY-VIEW software from Vemer.



SINGLE PHASE ENERGY METERS



Energy-230-Micro	Single Phase Meter, 22.5 Amp input, with pulse output, 1 module wide	\$174.32
Energy-230-LC	Single Phase Meter, 22.5 Amp input, 2 modules wide	\$157.93
Energy-230-M	Single Phase Meter, 25 Amp input, with pulse output, 2 modules wide	\$170.20
Energy-230-TAi	Single Phase Meter, CT input, with pulse output, 4 modules wide	\$294.75
Energy-230-D40	LCD Single Phase Direct Meter, 40 Amp, with pulse output, 2 modules wide	\$199.16
Energy-230-D63A	LCD Single Phase Direct Meter, 63 Amp, with pulse output, 3 modules wide	\$281.29

THREE PHASE ENERGY METERS



Energy-400 PWR*	Three Phase Meter, CT input, with pulse output, 4 modules wide	\$426.20
Energy-400 PWRi	Three Phase Meter, CT input, with pulse output, 4 modules wide	\$683.06
Energy-400D PWR*	LCD Three Phase Meter, CT input, with pulse output, 4 modules wide	\$426.20
Energy-400D PWRi	LCD Three Phase Meter, CT input, with pulse output, 4 modules wide	\$683.06
Energy-400R PWRi	Three Phase Meter, CT input, with pulse output, panel mounted	\$1105.5
Energy-400 D90A	LCD Three Phase Direct Meter, 100 Amp, with pulse output, 7 modules wide	\$426.20
CLIP-485	Remote Pulse Receiver for up to 8 Energy Series Meters with RS485 output	\$846.16
ENERGY-VIEW	Software and RS485/RS232 interface suitable for Energy Series Meters	POA

* C.T. Secondary's must not be earthed

LAN INTERFACE



LAN-RS485	LAN/RS485 Interface	\$979.66
GW1-2120B	GSM Remote Communication Interface	\$1078.20

VOLTMETERS / AMMETERS / RUN HOUR METERS

EV SERIES METERS



EV SERIES METERS

Digital Meters in a modular 2 module DIN rail mounted or panel mounted format to measure AC (or DC) Voltage or Current. The EVM series can be direct connected as a voltmeter or as an Ammeter via a CT xx/5A connection. Display is configurable and the ratio is adjusted via dip switches. CT ratios are: 5, 10, 15, 20, 25, 40, 50, 60, 100, 150, 200, 250, 400, 500, 600, 800, 1000, 1500, 2000, 2500, 4000.



EVM-2DIN	Multifunction AC Volt/Ammeter, 600VAC, 5 to 4000A, DIN Rail	\$240.38
EVM-R	Multifunction AC Volt/Ammeter, 600VAC, 5 to 4000A, Panel	\$402.36
EVA-R(10A-AC)	Digital 10 Amp AC Ammeter, Panel Mounted	\$225.97
EVV-R-600VDC	Digital Voltmeter, 600VDC, Panel Mounted	\$274.51
EVV2DIN100VAC	Digital Voltmeter, 100VAC, DIN rail mounted	\$231.01

MULTIFUNCTION AC VOLT / AMMETER WITH RELAY TECHNICAL INFORMATION



EVR-D MULTIFUNCTION METER WITH RELAY

Digital Multimeter in a modular 4 module DIN rail mounted or panel mounted format to measure AC Voltage or Current with Relay Output. The EVR-D device can be direct connected as a Voltmeter up to 600 V AC or Ammeter via a xx/5A CT with a configurable display. Display ratio adjusted via dip switches. Ratios are from 5 to 4000 Amps. The output may be activated when the measurement is higher/lower than a threshold which can be set.

EVR-D	Multifunction AC Volt/Ammeter, 600VAC, 5 to 4000A with Relay	\$402.36
--------------	---	-----------------

HMS SERIES RUN HOUR METERS



HMS-024	Panel mounting Run Hour Meter, 24VAC, 55x55 mm	\$72.74
HMS-230	Panel mounting Run Hour Meter, 230VAC, 55x55 mm	\$72.74
HMS-400	Panel mounting Run Hour Meter, 400VAC, 55x55 mm	\$72.74
HMS-1080	Panel mounting Run Hour Meter, 10-80VDC, 55x55 mm	\$138.02

HMC SERIES RUN HOUR METERS - IP65



HMC-024	Panel mounting Run Hour Meter, 24VAC, 58 mm Diameter (51mm hole)	\$78.02
HMC-230	Panel mounting Run Hour Meter, 230VAC, 58 mm Diameter (51mm hole)	\$78.02
HMC-1080	Panel mounting Run Hour Meter, 10-80VDC, 58 mm Diameter (51mm hole)	\$182.79
KAS	Anti-vibration Kit for HMC Series	\$17.74

HMD SERIES RUN HOUR METERS



HMD-024	DIN Rail Mounted Run Hour Meter, 24 VAC, 2 Modules Wide	\$123.41
HMD-230	DIN Rail Mounted Run Hour Meter, 230 VAC, 2 Modules Wide	\$127.12
HMD-1236	DIN Rail Mounted Run Hour Meter, 12-36 VAC, 2 Modules Wide	\$151.94

CURRENT TRANSFORMERS & COUNTERS

CURRENT TRANSFORMERS WITH DIN RAIL CLIP



TU20 50:5	Current Transformer 50:5 Amp - 20x5mm Bar - 16mm Diameter Size	\$64.15
TU20 75:5	Current Transformer 75:5 Amp - 20x5mm Bar - 16mm Diameter Size	\$64.15
TU20 100:5	Current Transformer 100:5 Amp - 20x5mm Bar - 16mm Diameter Size	\$64.15
TU20 125:5	Current Transformer 125:5 Amp - 20x5mm Bar - 16mm Diameter Size	\$64.15
TU30 150:5	Current Transformer 150:5 Amp - 30x10mm Bar - 22mm Diameter Size	\$87.73
TU30 200:5	Current Transformer 200:5 Amp - 30x10mm Bar - 22mm Diameter Size	\$87.73
TU30 250:5	Current Transformer 250:5 Amp - 30x10mm Bar - 22mm Diameter Size	\$87.73
TU40 100:5	Current Transformer 100:5 Amp - 30x10mm Bar - 22mm Diameter Size	\$93.17
TU40 125:5	Current Transformer 125:5 Amp - 40x10mm Bar - 30mm Diameter Size	\$93.17
TU40 150:5	Current Transformer 150:5 Amp - 40x10mm Bar - 30mm Diameter Size	\$99.69
TU40 200:5	Current Transformer 200:5 Amp - 40x10mm Bar - 30mm Diameter Size	\$103.99
TU40 250:5	Current Transformer 250:5 Amp - 40x10mm Bar - 30mm Diameter Size	\$103.99
TU40 300:5	Current Transformer 300:5 Amp - 40x10mm Bar - 30mm Diameter Size	\$116.99
TU40 400:5	Current Transformer 400:5 Amp - 40x10mm Bar - 30mm Diameter Size	\$116.99
TU40 500:5	Current Transformer 500:5 Amp - 40x10mm Bar - 30mm Diameter Size	\$129.54
TU40 600:5	Current Transformer 600:5 Amp - 40x10mm Bar - 30mm Diameter Size	\$129.54
TU40 800:5	Current Transformer 800:5 Amp - 40x10mm Bar - 30mm Diameter Size	\$158.78
TUC 60 600:5	Current Transformer 600:5 Amp - 60x10mm Bar - 51mm Diameter Size	\$165.58
TUC 60 800:5	Current Transformer 800:5 Amp - 60x10mm Bar - 51mm Diameter Size	\$174.39
TUC 60 1000:5	Current Transformer 1000:5 Amp - 60x10mm Bar - 51mm Diameter Size	\$180.65
TUC 60 1200:5	Current Transformer 1200:5 Amp - 60x10mm Bar - 51mm Diameter Size	\$196.38
TUC 60 1500:5	Current Transformer 1500:5 Amp - 60x10mm Bar - 51mm Diameter Size	\$196.38
TUC 60 2000:5	Current Transformer 2000:5 Amp - 60x10mm Bar - 51mm Diameter Size	\$254.87
TUC 80 800:5	Current Transformer 800:5 Amp - 80x30mm Bar - 65mm Diameter Size	\$194.24
TUC 80 1000:5	Current Transformer 1000:5 Amp - 80x30mm Bar - 65mm Diameter Size	\$221.77
TUC 80 1200:5	Current Transformer 1200:5 Amp - 80x30mm Bar - 65mm Diameter Size	\$221.77
TUC 80 1500:5	Current Transformer 1500:5 Amp - 80x30mm Bar - 65mm Diameter Size	\$249.82
TUC 80 2000:5	Current Transformer 2000:5 Amp - 80x30mm Bar - 65mm Diameter Size	\$249.82
TUC 80 2500:5	Current Transformer 2500:5 Amp - 80x30mm Bar - 65mm Diameter Size	\$308.21

CURRENT SHUNTS - 60MV



VJ 3674 2222	Current Shunt 20 Amp	\$141.77
VJ 3674 2322	Current Shunt 25 Amp	\$141.77
VJ 3674 2622	Current Shunt 50 Amp	\$141.77
VJ 3674 2722	Current Shunt 60 Amp	\$141.77
VJ 3674 2822	Current Shunt 80 Amp	\$141.77
VJ 3674 2922	Current Shunt 100 Amp	\$141.77
VJ 3674 3122	Current Shunt 150 Amp	\$141.77

PULSE COUNTERS



EC5-024	Panel mounting 5 digit zeroing Pulse Counter 24 VAC, 48x24 mm	\$177.30
EC5-230	Panel mounting 5 digit zeroing Pulse Counter 230 VAC, 48x24 mm	\$177.30

ENERGY MANAGEMENT & TRANSFORMERS

LOAD SHEDDING



PC-RF8	Load Shedding Controller suitable for up to 8 Wireless Connected Actuators	\$305.76
RX.16A	Load Shedding Wireless Actuators - 16 Amp	\$166.77
SET-PC-RF8	Load Shedding Set including the PC-RF8 controller & 2 RX.16A Actuators	\$590.43
Solar3	Load Shedding Controller suitable for up to 3 Connected Loads	\$514.22

TRANSFORMERS



TM3-230/12	Surface Mounted Transformer, Input 230VAC, Output 12VAC, 3VA	\$29.87
TM3-230/24	Surface Mounted Transformer, Input 230VAC, Output 24VAC, 3VA	\$29.87
TMC10/12	DIN Rail Mounting Transformer, 230VAC-4/8/12VAC, 10VA, 2 modules wide	\$63.42
TMC10/24	DIN Rail Mounting Transformer, 230VAC-12/24VAC, 10VA, 2 modules wide	\$63.42
TMC15/24	DIN Rail Mounting Transformer, 230VAC-12/24VAC, 15VA, 2 modules wide	\$74.07
TMC24/24	DIN Rail Mounting Transformer, 230VAC-12/24VAC, 24VA, 3 modules wide	\$87.65
TMC30/24	DIN Rail Mounting Transformer, 230VAC-12/24VAC, 30VA, 3 modules wide	\$104.93
TMC40/24	DIN Rail Mounting Transformer, 230VAC-12/24VAC, 40VA, 3 modules wide	\$141.98
TMC63/24	DIN Rail Mounting Transformer, 230VAC-12/24VAC, 63VA, 4 modules wide	\$253.28
TMC400-63/24	DIN Rail Mounting Transformer, 400VAC-12/24VAC, 63VA, 4 modules wide	\$263.70

PULSE COUNTERS



EC5-024	Panel mounting 5 digit zeroing Pulse Counter 24 VAC, 48x24 mm	\$177.30
EC5-230	Panel mounting 5 digit zeroing Pulse Counter 230 VAC, 48x24 mm	\$177.30



INSULATORS

TECHNICAL INFORMATION



VEMER INSULATORS

Insulators designed to be used as supports or spacers of electrical busbars in switchboard construction.

Made of glass fibre reinforced polyester resin they guarantee a high mechanical and electrical resistance. Both the top and bottom of the insulators have a brass or white iron zincate threaded female insert. Material is self-extinguishing V0(1.6 mm) according to UL-94 Standard, Arc resistance is >180 s - ASTM D-495, Operating temperature is -40°C to +130 °

HEX STYLE INSULATORS



SA515400	Insulated Stud - 20mm high - M5 - Hex	\$2.46
SA519600	Insulated Stud - 25.5mm high - M5 - Hex	\$2.55
SA520400	Insulated Stud - 25.5mm high - M6 - Hex	\$2.65
SA525300	Insulated Stud - 35mm high - M6 - Hex	\$4.85
SA522000	Insulated Stud - 30mm high - M8 - Hex	\$6.03
SA527900	Insulated Stud - 35mm high - M8 - Hex	\$6.51
SA544400	Insulated Stud - 50mm high - M8 - Hex	\$8.77
SA528700	Insulated Stud - 35mm high - M10 - Hex	\$6.41
SA545100	Insulated Stud - 50mm high - M10 - Hex	\$9.13
SA553500	Insulated Stud - 60mm high - M10 - Hex	\$12.54
SA565900	Insulated Stud - 75mm high - M10 - Hex	\$22.27
SA535200	Insulated Stud - 40mm high - M12 - Hex	\$8.27
SA548500	Insulated Stud - 30mm high - M12 - Hex	\$14.86
SA560000	Insulated Stud - 65mm high - M12 - Hex	\$21.59

TEMPERATURE CONTROLLERS & PROBES

TEMPERATURE CONTROLLERS - PANEL MOUNTED (75X33MM)



TM-NiPt-P3D	LED Temperature Display for PT100/Ni100 probes, 12-24VAC/DC	\$178.47
HT-NiPt-1P3D	LED Temperature Controller for PT100/Ni100 probes, 12-24VAC/DC, 1C/O	\$232.38
HT-NiPt-1P3A	LED Temperature Controller for PT100/Ni100 probes, 230VAC, 1C/O	\$280.38
HT-NTC-1P3D	LED Temperature Controller for NTC probes, 12-24VAC/DC, 1C/O	\$232.38
HT-NTC-1P3A	LED Temperature Controller for NTC probes, 230VAC, 1C/O	\$280.38
HT-JK-1P3D	LED Temperature Controller for Thermocouple probes, 12-24VAC/DC, 1C/O	\$243.95

TEMPERATURE CONTROLLERS - DIN MOUNTED - 4 MODULES WIDE



HT-NiPt-1DA	LED Temperature Controller for Pt100 & Ni100 probes, 24&240VAC, 1C/O	\$310.17
HT-NTC-1DA	LED Temperature Controller for NTC probes, 24&240VAC, 1C/O	\$239.36
HT-JK-1DA	LED Temperature Controller for Thermocouple probes, 24&240VAC, 1C/O	\$371.61

TEMPERATURE CONTROLLERS WITH ANALOG/RS485 OUTPUT



FHT-1P3D	LED Temperature Controller, PT100, Ni100, Thermocouple probes, 12-24VAC/DC, Outputs: RS485, 0-10V, 4-20mA, 1C/O	\$464.51
FHT-2P3D	LED Temperature Controller, PT100, Ni100, Thermocouple probes, 12-24VAC/DC, Outputs: RS485, 0-10V, 4-20mA, 2C/O	\$622.63
FHT-1DA	LED Temperature Controller, PT100, Ni100 & Thermocouple probes, 24VAC & 240VAC, Outputs: RS485, 0-10V, 4-20mA, 1C/O	\$423.03

REFRIGERATION CONTROLLERS



FR-NTC-1P3D	LED Refrigeration Controller for NTC probes, 12-24VAC/DC, 1C/O	\$245.58
FR-NTC-4P3D	LED Refrigeration Controller for FCU Regulation, 12-24VAC/DC, 4C/O	\$457.10

TEMPERATURE PROBES



PT100/EC	PT100 Temperature Probe - 50°C to 110°C - IP68 - 1.5 meter	\$35.19
PT100/3MT	PT100 Temperature Probe 0°C to 400°C - 3m tinned copper braided sleeve	\$120.40
PT100/10MT	PT100 Temperature Probe 0°C to 400°C - 10m tinned copper braided sleeve	\$243.06
PT1000	PT1000 Temperature Probe - 40°C - 200°C - 3m	\$145.72
Ni100	Ni100 Temperature Probe - 50°C to 105°C - 3m	\$74.28
NTC/C	NTC Temperature Probe - 50°C to 120°C - 1.5m - IP67	\$25.01
NTC-BC	NTC Temperature Probe (Pipe Clamp Type) - 50°C to 120°C - 1.5m - IP67	\$25.01
NTC/3MT	NTC Temperature Probe - 40°C to 110°C - 3m - IP67	\$37.19

PRESSURE CONTROLLERS & PROBES



PR-1P7A	LED Pressure Regulator, 24 & 240VAC, 1C/O	\$668.88
SPK-10	Pressure Probe - 0.5 to 7 bar, IP65, Output 4-20mA, 1/4" SAE (male) fitting	\$676.16
SPK-30	Pressure Probe - 0 to 30 bar, IP65, Output 4-20mA, 1/4" SAE (male) fitting	\$676.16

MOVEMENT DETECTORS / THERMOSTATS

WALL MOUNTED MOVEMENT DETECTORS



Sensor-140	140°/8 meter PIR Movement Detector, 1C/O 230VAC	\$75.53
Sensor-200	200°/8 meter PIR Movement Detector, 1 C/O 230VAC	\$78.86

ELECTROMAGNETIC MOVEMENT DETECTOR



Sensor-HF	270°/6 meter Flush Box type High Frequency Movement Detector, 1C/O	\$246.45
-----------	--	----------

CEILING MOUNTED MOVEMENT DETECTORS



Sensor-360	360°/7 meter PIR Movement Detector, 1 C/O 230VAC	\$172.06
Sensor-T	360°/6 meter PIR Movement Detector, 1C/O 230VAC	\$163.75
Sensor-2T	360°/6 meter PIR Movement Detector, 2C/O 230VAC	\$183.87

THALOS THERMOSTATS



Thalos-Bianco	Wall/Flush Box mounted White Thermostat with LCD Touch Screen, battery supply	\$235.88
Thalos-230-Bianco	Wall/Flush Box mounted White Thermostat with LCD Touch Screen and colour changing feature, 230V supply	\$235.88

MITHOS THERMOSTATS



Mithos-Bianco	Wall Mounted White Thermostat, Fully Programmable, Battery Supply	\$362.40
X.Temp	NTC External Probe - 2 meters long, IP66	\$57.81

LIQUID LEVEL PROBES



ES	Stainless Steel Electrode including Nylon holder and Ballast	\$53.50
----	--	---------