

PROCON HEAVY DUTY CONNECTORS - A3/A4/A5

PRODUCT SELECTION GUIDE

Inserts: 3 Pole & Earth, 4 Pole & Earth
- Male & Female



Housing Options in Plastic or Aluminium



Cable Clamping Options



Please note: Housings shown here have the Cable Clamping options fitted

PRODUCT ASSEMBLY PROCEDURE

STEP 1:

Select the type of Inserts required from the following options:

- Screw Terminal with Wire Guard
- Screw Terminal without Wire Guard
- Screwless Terminal
- Crimp Contact Carriers

All Inserts include an Earth Connection.

When selecting Crimp Solutions you need to also include the Crimp Pin (Male) and Crimp Sleeve (Female) items.

STEP 2:

Select Housings from the following options:

- Single or Double Lever Format
- Wall Mounted Housings
- Panel Mounted Housings
- Housings with Covers
- Coupler Hoods
- Hoods with Side Cable Entry
- Hoods with Top Cable Entry

Double Lever solution is not available in all formats.

STEP 3:

Select the Cable Clamping solution from the following options:

- Bush set which comes complete with nickel coated brass bush, washers and "onion ring" type seal
- Metal Gland which is supplied complete with nickel coated brass collar, brass bush, washers and "onion ring" type seal

Cable clamping solutions are available from Wiska such as compression glands in both nickel plated brass and nylon, spiral glands and trumpet glands.

Please refer to the Wiska section of the catalogue for further product solutions.

PROCON HEAVY DUTY CONNECTORS - A3/A4/A5

A3/A4 SERIES - 3 POLE & EARTH / 4 POLE & EARTH INSERTS - 400V/10A



700103

700103	Female - 3 Pole & Earth Screw Connection Insert, 0.5 to 1.5 mm ²	\$24.81
700203	Male - 3 Pole & Earth Screw Connection Insert, 0.5 to 1.5 mm ²	\$23.00
700104	Female - 4 Pole & Earth Screw Connection Insert, 0.5 to 1.5 mm ²	\$29.19
700204	Male - 4 Pole & Earth Screw Connection Insert, 0.5 to 1.5 mm ²	\$26.24

A5 SERIES - 5 POLE & EARTH CRIMP INSERTS - 400V/16A



700105



710501



710511

700105	Crimp Contact Carrier for Sleeve Contacts (female) - 5 Pole & Earth - 0.14-2.5mm ²	\$16.15
700205	Crimp Contact Carrier for Sleeve Contact Pin (male) - 5 Pole & Earth - 0.14-2.5mm ²	\$14.89
710508	Crimp Sleeve Contact B Series - 0.14-0.37mm ²	\$2.26
710504	Crimp Sleeve Contact B Series - 0.5 mm ²	\$1.26
710509	Crimp Sleeve Contact B Series - 0.75mm ²	\$0.81
710500	Crimp Sleeve Contact B Series - 1 mm ²	\$0.81
710501	Crimp Sleeve Contact B Series - 1.5 mm ²	\$0.81
710502	Crimp Sleeve Contact B Series - 2.5 mm ²	\$0.81
710518	Crimp Pin Contact B Series - 0.14-0.37mm ²	\$0.81
710514	Crimp Pin Contact B Series - 0.5 mm ²	\$0.81
710519	Crimp Pin Contact B Series - 0.75mm ²	\$0.81
710510	Crimp Pin Contact B Series - 1 mm ²	\$0.81
710511	Crimp Pin Contact B Series - 1.5 mm ²	\$0.81
710512	Crimp Pin Contact B Series - 2.5 mm ²	\$0.81
700734	Coding Pin suitable for Crimp Contact Carriers	\$5.99

HOODS & HOUSINGS ALUMINIUM - IP65 GREY



704303



T702803MS & 717637

T701403	Wall Housing - Single Lever System - with M20 Threaded Hole - Height 25.5mm	\$34.66
704303	Panel Housing - Single Lever - Height 24mm	\$13.49
704403	Panel Housing with Spring Cover - Single Lever - Height 24mm	\$45.22
7044030D	Panel Housing with Spring Cover - Single Lever - Height 24mm for male insert	\$45.22
704503	Angle Panel Housing - Single Lever - Height 25.5mm	\$22.25
T702803MS	Hood - Top Entry Single Lever - with M20 Collar - Height 57mm	\$14.96
T702603MS	Angle Hood - Top Entry Single Lever System - with M20 Collar - Height 48mm	\$18.63
T703803MS	Coupler Hood - Top Entry Single Lever System - with M20 Collar - Height 60.5mm	\$23.00



PROCON HEAVY DUTY CONNECTORS - A3/A4/A5

HOODS & HOUSINGS PLASTIC - IP65 GREY



700621

700621	Panel Housing - Single Lever - Height 24mm	\$12.38
700622	Angle Panel Housing - Single Lever - Height 25.5mm	\$21.14
T700620	Wall Housing - Single Lever - M25 Entry - Height 24mm	\$32.46
T700624MS	Angle Hood - Top Entry Single Lever System - with M20 Collar - Height 48mm	\$15.34
T700625MS	Hood -Top Entry Single Lever System - with M20 Collar - Height 57mm	\$13.49
T700623MS	Coupler Hood - Top Entry Single Lever System - with M20 Collar - Height 60.5mm	\$18.63



PROCON HEAVY DUTY CONNECTORS - A10

A10 SERIES - 10 POLE & EARTH INSERTS - 250V/16AMP



700110	Female - 10 Pole & Earth Insert - Screw Connection, 0.5 to 2.5 mm ²	\$37.58
700210	Male - 10 Pole & Earth Insert - Screw Connection, 0.5 to 2.5 mm ²	\$34.28

HOODS & HOUSINGS - SINGLE LEVER - IP65



T702610MS &
717637

T702610MS	Hood - Side Entry Single Lever - with M20 Collar - Height 53mm - IP65	\$28.46
T708710	Hood - Side Entry Single Lever - with M25 Threaded Hole - Height 66mm - IP65	\$56.57
704310	Panel Housing - Single Lever - Height 26mm - IP65	\$24.44
704410	Panel Housing with Spring Cover - Single Lever - Height 26mm - IP65	\$43.07

PROCON HEAVY DUTY CONNECTORS - A16

A16 SERIES - 16 POLE & EARTH INSERTS - 250V/16AMP



700116	Female 16 Pole & Earth Screw Connection Insert, 0.5 to 2.5mm ²	\$50.73
700216	Male 16 Pole & Earth Screw Connection Insert, 0.5 to 2.5mm ²	\$42.13

A16 SERIES - 16 POLE & EARTH CRIMP INSERTS - 250V/16AMP



700416



710501



710511

700316	Crimp Contact Carrier for Sleeve (Female) - 6 Pole & Earth - 0.5 to 4mm ²	\$36.49
700416	Crimp Contact Carrier for Pin Contacts (Male) - 6 Pole & Earth - 0.5 to 4mm ²	\$36.49
710508	Crimp Sleeve Contact B Series - 0.14-0.37mm ²	\$2.26
710504	Crimp Sleeve Contact B Series - 0.5 mm ²	\$1.26
710509	Crimp Sleeve Contact B Series - 0.75mm ²	\$0.81
710500	Crimp Sleeve Contact B Series - 1 mm ²	\$0.81
710501	Crimp Sleeve Contact B Series - 1.5 mm ²	\$0.81
710502	Crimp Sleeve Contact B Series - 2.5 mm ²	\$0.81
710503	Crimp Sleeve Contacts B Series - 4.0 mm ²	\$0.81
710518	Crimp Pin Contact B Series - 0.14-0.37mm ²	\$0.81
710514	Crimp Pin Contact B Series - 0.5 mm ²	\$0.81
710519	Crimp Pin Contact B Series - 0.75mm ²	\$0.81
710510	Crimp Pin Contact B Series - 1 mm ²	\$0.81
710511	Crimp Pin Contact B Series - 1.5 mm ²	\$0.81
710512	Crimp Pin Contact B Series - 2.5 mm ²	\$0.81
710513	Crimp Pin Contacts B Series - 4.0 mm ²	\$0.81
700734	Coding Pin suitable for Crimp Contact Carriers	\$5.99

HOODS & HOUSINGS - SINGLE LEVER - IP65



T702616MS & 717637

T702616MS	Hood - Side Entry Single Lever System - with M20 Collar - Height 58mm	\$41.22
T702816MS	Hood - Top Entry Single Lever System - with M20 Collar - Height 58mm	\$43.44
704316	Panel Housing - Single Lever System - Height 26mm - IP65	\$38.29

PROCON HEAVY DUTY CONNECTORS - A32

A32 SERIES - 32 POLE & EARTH INSERTS - 250V/16AMP



700116 & 700132

700116	Female 16 Pole & Earth Screw Connection Insert, 0.5 to 2.5 mm ²	\$50.73
700132	Female 16 Pole & Earth Screw Connection Insert, 0.5 to 2.5 mm ² (17-32)	\$51.82
700216	Male 16 Pole & Earth Screw Connection Insert, 0.5 to 2.5 mm ²	\$42.13
700232	Male 16 Pole & Earth Screw Connection Insert, 0.5 to 2.5 mm ² (17-32)	\$43.44

A32 SERIES - 32 POLE & EARTH CRIMP INSERTS - 250V/16AMP



700316



710500



710510

700316	Crimp Contact Carrier for Sleeve Contacts - 16 Pole& Earth, 0.5 to 4 mm ²	\$36.49
700416	Crimp Contact Carrier for Pin Contacts - 16 Pole & Earth, 0.5 to 4 mm ²	\$36.49
700332	Crimp Contact Carrier for Sleeve Contacts - 16 Pole & Earth, (17/32)	\$37.18
700432	Crimp Contact Carrier for Pin Contacts - 16 Pole & Earth, (17-32)	\$37.18
710508	Crimp Sleeve Contact B Series - 0.14-0.37mm ²	\$2.26
710504	Crimp Sleeve Contact B Series - 0.5 mm ²	\$1.26
710509	Crimp Sleeve Contact B Series - 0.75mm ²	\$0.81
710500	Crimp Sleeve Contact B Series - 1 mm ²	\$0.81
710501	Crimp Sleeve Contact B Series - 1.5 mm ²	\$0.81
710502	Crimp Sleeve Contact B Series - 2.5 mm ²	\$0.81
710503	Crimp Sleeve Contacts B Series - 4.0 mm ²	\$0.81
710518	Crimp Pin Contact B Series - 0.14-0.37mm ²	\$0.81
710514	Crimp Pin Contact B Series - 0.5 mm ²	\$0.81
710519	Crimp Pin Contact B Series - 0.75mm ²	\$0.81
710510	Crimp Pin Contact B Series - 1 mm ²	\$0.81
710511	Crimp Pin Contact B Series - 1.5 mm ²	\$0.81
710512	Crimp Pin Contact B Series - 2.5 mm ²	\$0.81
710513	Crimp Pin Contacts B Series - 4.0 mm ²	\$0.81
700734	Coding Pin suitable for Crimp Contact Carriers	\$5.99


HOODS & HOUSING - DOUBLE LEVER - IP65



T708132	Hood - Side Entry Double Lever System - with M32 Threaded Hole - Height 76mm	\$84.29
704132	Panel Housing - Double Lever System - Height 28mm - IP65	\$58.36

PROCON HEAVY DUTY CONNECTORS - B SERIES

PRODUCT SELECTION GUIDE



PRODUCT ASSEMBLY PROCEDURE

STEP 1:

Select the type of Inserts required from the following options:

- Screw Terminal with Wire Guard
- Screw Terminal without Wire Guard
- Screwless Terminal
- Crimp Contact Carriers

All Inserts include an Earth Connection.

When selecting Crimp Solutions you need to also include the Crimp Pin (Male) and Crimp Sleeve (Female) items.

STEP 2:

Select Housings from the following options:

- Single or Double Lever Format
- Wall Mounted Housings
- Panel Mounted Housings
- Housings with Covers
- Coupler Hoods
- Hoods with Side Cable Entry
- Hoods with Top Cable Entry

Double Lever solution is not available in all formats.

STEP 3:

Select the Cable Clamping solution from the following options:



- Bush set which comes complete with nickel coated brass bush, washers and "onion ring" type seal
- Metal Gland which is supplied complete with nickel coated brass collar, brass bush, washers and "onion ring" type seal

Other cable clamping solutions are available from Wiska such as compression glands in both nickel plated brass and nylon, spiral glands and trumpet glands.




Please refer to the Wiska section of the catalogue for further product solutions.

PROCON HEAVY DUTY CONNECTORS - B6


B6 SERIES - 6 POLE & EARTH INSERTS - 500V/16AMP

	710106	Female 6 Pole & Earth Screw Connection Insert with Wire Guard - 0.5 to 2.5mm ²	\$24.35
	710206	Male 6 Pole & Earth Screw Connection Insert with Wire Guard - 0.5 to 2.5mm ²	\$23.97
	710769	Female 6 Pole & Earth Screw Connection Insert without Wire Guard - 0.5 to 4mm ²	\$25.09
	710773	Male 6 Pole & Earth Screw Connection Insert without Wire Guard - 0.5 to 4mm ²	\$23.31
710106	71010604	Female 6 Pole & Earth Insert with Push-In Terminals - 0.5 to 2.5mm ²	\$33.04
	71020604	Male 6 Pole & Earth Insert with Push-In Terminals - 0.5 to 2.5mm ²	\$32.44
710607	710607	Coding Pin	\$3.25


B6 SERIES - 6 POLE & EARTH CRIMP INSERTS - 500V/16AMP

	710306	Crimp Contact Carrier for Sleeve Contacts (Female) - 6 Pole & Earth - 0.5 to 4mm ²	\$19.91
	710406	Crimp Contact Carrier for Pin Contacts (Male) - 6 Pole & Earth - 0.5 to 4mm ²	\$19.91
	710508	Crimp Sleeve Contact B Series - 0.14-0.37mm ²	\$2.26
	710504	Crimp Sleeve Contact B Series - 0.5 mm ²	\$1.26
710406	710509	Crimp Sleeve Contact B Series - 0.75mm ²	\$0.81
	710500	Crimp Sleeve Contact B Series - 1 mm ²	\$0.81
	710501	Crimp Sleeve Contact B Series - 1.5 mm ²	\$0.81
710501	710502	Crimp Sleeve Contact B Series - 2.5 mm ²	\$0.81
	710503	Crimp Sleeve Contacts B Series - 4.0 mm ²	\$0.81
	710518	Crimp Pin Contact B Series - 0.14-0.37mm ²	\$0.81
710511	710514	Crimp Pin Contact B Series - 0.5 mm ²	\$0.81
	710519	Crimp Pin Contact B Series - 0.75mm ²	\$0.81
	710510	Crimp Pin Contact B Series - 1 mm ²	\$0.81
	710511	Crimp Pin Contact B Series - 1.5 mm ²	\$0.81
	710512	Crimp Pin Contact B Series - 2.5 mm ²	\$0.81
	710513	Crimp Pin Contacts B Series - 4.0 mm ²	\$0.81
	700734	Coding Pin suitable for Crimp Contact Carriers	\$5.99


HOODS - SINGLE LEVER - IP65

	P712606	Hood - Side Entry Single Lever System - with M20 Threaded Hole - Height 56mm	\$29.85
	P758624	Hood - Side Entry Single Lever System - with M25 Threaded Hole - Height 72mm	\$41.67
	P712806	Hood - Top Entry Single Lever System - with M20 Threaded Hole - Height 56mm	\$31.34
	P758824	Hood - Top Entry Single Lever System - with M25 Threaded Hole - Height 72mm	\$45.22
P712806	P713806	Coupler Hood - Top Entry Single Lever System - with M20 Threaded Hole - 61.5mm	\$38.38
	P753824	Coupler Hood - Top Entry Single Lever System - with M25 Threaded Hole - 77.5mm	\$41.33
	P753824AQ	Coupler Hood - Top Entry Single Lever (Steel) - with M25 Threaded Hole - 77.5mm	\$51.78

WALL & PANEL HOUSINGS - SINGLE LEVER - IP65



	714306	Panel Housing - Single Lever System - Height 28mm	\$29.49
	714306AQ	Panel Housing - Single Lever System (Steel) - Height 28mm	\$33.75
	P711406MS	Wall Housing - Single Lever - with M20 Collar - Height 53mm	\$49.44
714306	714406	Panel Housing with Hinged Cover - Single Lever - Height 28mm	\$47.60
	714406SK	Panel Housing with Self Closing Spring Cover - Single Lever - Height 28mm	\$56.43

ACCESSORIES




	710630	Protective Cap - Single Lever - Plastic - Height 18mm	\$18.48
	710630AL	Protective Cap - Single Lever - Aluminium - Height 18mm	\$45.69
710630			

PROCON HEAVY DUTY CONNECTORS - B6


B10 SERIES - 10 POLE & EARTH INSERTS - 500V/16AMP

	710110	Female 10 Pole & Earth Screw Connection Insert with Wire Guard, 0.5 - 2.5 mm ²	\$30.98
	710210	Male 10 Pole & Earth Screw Connection Insert with Wire Guard, 0.5 - 2.5 mm ²	\$30.59
	710770	Female 10 Pole & Earth Screw Connection Insert without Wire Guard, 0.5 - 4 mm ²	\$29.85
	710774	Male 10 Pole & Earth Screw Connection Insert without Wire Guard, 0.5 - 4 mm ²	\$29.85
710110	71011004	Female 10 Pole & Earth Insert with Push in Terminals 0.5 - 2.5mm ²	\$39.90
	71021004	Male 10 Pole & Earth Insert with Push in Terminals 0.5 - 2.5mm ²	\$39.51
	710607	710607	Coding Pin


B10 SERIES - 10 POLE & EARTH CRIMP INSERTS - 500V/16AMP

	710310	Crimp Contact Carrier for Sleeve Contacts - 0.5 to 4 mm ²	\$22.49
	710410	Crimp Contact Carrier for Pin Contacts - 0.5 to 4 mm ²	\$22.11
	710508	Crimp Sleeve Contact B Series - 0.14-0.37mm ²	\$2.26
	710504	Crimp Sleeve Contact B Series - 0.5 mm ²	\$1.26
	710509	Crimp Sleeve Contact B Series - 0.75mm ²	\$0.81
	710500	Crimp Sleeve Contact B Series - 1 mm ²	\$0.81
	710501	Crimp Sleeve Contact B Series - 1.5 mm ²	\$0.81
	710502	Crimp Sleeve Contact B Series - 2.5 mm ²	\$0.81
	710503	Crimp Sleeve Contacts B Series - 4.0 mm ²	\$0.81
	710518	Crimp Pin Contact B Series - 0.14-0.37mm ²	\$0.81
	710514	Crimp Pin Contact B Series - 0.5 mm ²	\$0.81
	710519	Crimp Pin Contact B Series - 0.75mm ²	\$0.81
	710510	Crimp Pin Contact B Series - 1 mm ²	\$0.81
	710511	Crimp Pin Contact B Series - 1.5 mm ²	\$0.81
	710512	Crimp Pin Contact B Series - 2.5 mm ²	\$0.81
	710513	Crimp Pin Contacts B Series - 4.0 mm ²	\$0.81
	700734	Coding Pin suitable for Crimp Contact Carriers	\$5.99

HOODS - DOUBLE LEVER - IP65

	P712110	Hood - Side Entry Double Lever System - with M20 Threaded Hole - Height 56mm	\$38.00
	P758042	Hood - Side Entry Double Lever System - with M25 Threaded Hole - Height 56mm	\$50.49
	P758142	Hood - Side Entry Double Lever System - with M32 Threaded Hole - Height 72mm	\$67.12
	712210	P712210 Hood - Top Entry Double Lever System - with M20 Threaded Hole - Height 56mm	\$40.20
	P712310	Hood - Top Entry Double Lever System - with M25 Threaded Hole - Height 56mm	\$44.87
	P758342	Hood - Top Entry Double Lever System - with M32 Threaded Hole - Height 72mm	\$61.62
	P713610	Coupler Hood - Top Entry Double Lever System - with M20 Threaded Hole - 61.5mm	\$87.40
	P753742	Coupler Hood - Top Entry Double Lever System - with M32 Threaded Hole - 77.5mm	\$103.28

WALL & PANEL HOUSINGS - DOUBLE LEVER - IP65

	714110	Panel Housing - Double Lever System - Height 28mm	\$43.16
	P711010MS	Wall Housing with Single M20 Collar - Double Lever System - Height 53mm	\$68.27
	P757042MS	Wall Housing with Single M32 Collar - Double Lever System - Height 74mm	\$99.10

PROCON HEAVY DUTY CONNECTORS - B10

ACCESSORIES - DOUBLE LEVER



710624

710624	Protective Cap with retaining cord - Double Lever System - Plastic - Height 18mm	\$21.41
710624AL	Protective Cap with retaining cord - Double Lever System - Aluminium - Height 18mm	\$40.55

HOODS - SINGLE LEVER - IP65



P758642

P712610	Hood - Side Entry Single Lever System - with M20 Threaded Hole - Height 56mm	\$40.20
P758642	Hood - Side Entry Single Lever System - with M25 Threaded Hole - Height 72mm	\$58.57
P712810	Hood - Side Entry Single Lever System - with M20 Threaded Hole - Height 56mm	\$42.05
P758842	Hood - Top Entry Single Lever System - with M25 Threaded Hole - Height 72mm	\$67.82
P713810	Coupler Hood - Top Entry Single Lever System - with M20 Threaded Hole - 61.5mm	\$56.59
P753842	Coupler Hood - Top Entry Single Lever System - with M25 Threaded Hole - 77.5mm	\$73.44
P753842AQ	Coupler Hood - Top Entry Single Lever (Steel) - with M25 Threaded Hole - 77.5mm	\$78.47

WALL & PANEL HOUSINGS - SINGLE LEVER - IP65



714310

714310	Panel Housing - Single Lever System - Height 28mm	\$44.61
714310AQ	Panel Housing - Single Lever System (Steel Lever) - Height 28mm	\$57.59
714410	Panel Housing with Spring Cover - Single Lever System - Height 27mm plus cover	\$63.40
P711410MS	Wall Housing with Single M20 Collar - Single Lever System - Height 74mm	\$75.20

ACCESSORIES - SINGLE LEVER



710632	Protective Cap - Single Lever System - Plastic - Height 18mm	\$23.39
710632AL	Protective Cap - Single Lever System - Aluminium - Height 18mm	\$42.41



HOODS & HOUSINGS - REVERSE DOUBLE LEVER - IP65






P753242	Hood with clips - Top Entry Double Locking System - with M25 Threaded Hole - 72mm	\$94.39
P753342	Hood with clips - Top Entry Double Locking System - with M32 Threaded Hole - 72mm	\$103.28
714210	Panel Housing with Spring Cover without clips - Double Locking - 27mm plus Cover	\$59.85

PROCON HEAVY DUTY CONNECTORS - B16


B16 SERIES - 16 POLE & EARTH INSERT - 500V/16AMP

	710116	Female Insert - 16 Pole - Screw Term. plus Wire Guard - 500V, / 16A, 0.5 to 2.5 mm ²	\$39.51
	710216	Male Insert - 16 Pole - Screw Term. plus Wire Guard - 500V / 16A, 0.5 to 2.5 mm ²	\$37.61
710116	710771	Female Insert - 16 Pole - Screw Term. no Wire Guard - 500V / 16A, 0.5 to 4 mm ²	\$41.84
	710775	Male Insert - 16 Pole - Screw Term. no Wire Guard - 500V / 16A, 0.5 to 4 mm ²	\$39.87
	71011604	Female 16 Pole & Earth Insert with Push-in Terminals - 0.5 to 2.5mm ²	\$60.61
710607	71021604	Male 16 Pole & Earth Insert with Push-in Terminals - 0.5 to 2.5mm ²	\$57.84
	710607	Coding Pin	\$3.25


B16 SERIES - 16 POLE & EARTH INSERT - 500V/16AMP

	710316	Crimp Contact Carrier for Sleeve Contacts - 16 Pole 500V, 16 Amps, 0.5 to 4 mm ²	\$28.43
	710416	Crimp Contact Carrier for Pin Contacts - 16 Pole 500V, 16 Amps, 0.5 to 4 mm ²	\$25.60
710316	710504	Crimp Sleeve Contact B Series - 0.5 mm ²	\$1.26
	710509	Crimp Sleeve Contact B Series - 0.75mm ²	\$0.81
	710500	Crimp Sleeve Contact B Series - 1 mm ²	\$0.81
710501	710501	Crimp Sleeve Contact B Series - 1.5 mm ²	\$0.81
	710502	Crimp Sleeve Contact B Series - 2.5 mm ²	\$0.81
	710503	Crimp Sleeve Contacts B Series - 4.0 mm ²	\$0.81
710511	710518	Crimp Pin Contact B Series - 0.14-0.37mm ²	\$0.81
	710514	Crimp Pin Contact B Series - 0.5 mm ²	\$0.81
	710519	Crimp Pin Contact B Series - 0.75mm ²	\$0.81
	710510	Crimp Pin Contact B Series - 1 mm ²	\$0.81
	710511	Crimp Pin Contact B Series - 1.5 mm ²	\$0.81
	710512	Crimp Pin Contact B Series - 2.5 mm ²	\$0.81
	710513	Crimp Pin Contacts B Series - 4.0 mm ²	\$0.81
	700734	Coding Pin suitable for Crimp Contact Carriers	\$5.99

HOODS - DOUBLE LEVER - IP65

	P718016	Hood - Side Entry Double Lever - with M25 Threaded Hole - Height 65mm	\$52.99
	P728140	Hood - Side Entry Double Lever - with M32 Threaded Hole - Height 76mm	\$73.39
	P72814040	Hood - Side Entry Double Lever - with M40 Threaded Hole - Height 76mm	\$84.75
	P718216	Hood - Top Entry Double Lever - with M25 Threaded Hole - Height 65mm	\$47.22
718216	P718316	Hood - Top Entry Double Lever - with M32 Threaded Hole - Height 65mm	\$49.80
	P713616	Coupler Hood - Top Entry Double Lever - with M25 Threaded Hole - Height 70.5mm	\$59.60
	P753772	Coupler Hood - Top Entry Double Lever - with M32 Threaded Hole - Height 81.5mm	\$92.05
	P75377240	Coupler Hood - Top Entry Double Lever - with M40 Threaded Hole - Height 81.5mm	\$108.90

WALL & PANEL HOUSINGS - DOUBLE LEVER - IP65

	714116	Panel Housing - Double Lever - Height 28mm	\$45.73
	P711016MS	Wall Housing with Single M25 Collar - Double Lever - Height 68mm	\$71.55
714116	P75707240MS	Wall Housing with Single M40 Collar - Double Lever - Height 84mm	\$111.66

PROCON HEAVY DUTY CONNECTORS - B16

ACCESSORIES - DOUBLE LEVER



710626	Protective Cap - Single Lever - Plastic - Height 18mm	\$24.01
710626AL	Protective Cap - Double Locking System - Aluminium - Height 18mm	\$59.41

HOODS - SINGLE LEVER - IP65



718916

P718616	Hood - Side Entry Single Lever - with M25 Threaded Hole - Height 65mm	\$50.49
P718716	Hood - Side Entry Single Lever - with M32 Threaded Hole - Height 65mm	\$43.54
P72874040	Hood - Side Entry Single Lever - with M40 Threaded Hole - Height 76mm	\$81.93
P718816	Hood - Top Entry Single Lever - with M25 Threaded Hole - Height 65mm	\$54.53
P718916	Hood - Top Entry Single Lever - with M32 Threaded Hole - Height 65mm	\$58.06
P713816	Coupler Hood - Top Entry Single Lever - with M25 Threaded Hole - Height 70.5mm	\$62.53
P713916	Coupler Hood - Top Entry Single Lever - with M32 Threaded Hole - Height 70.5mm	\$63.38

WALL & PANEL HOUSINGS - SINGLE LEVER - IP65



714316

714316	Panel Housing - Single Lever System - Height 27mm	\$48.99
714416	Panel Housing with Spring Cover - Single Lever System - Height 27mm plus Cover	\$68.63
P711416MS	Wall Housing with Single M25 Collar - Single Lever System - Height 68mm	\$73.32
P711616MS	Wall Housing with Spring Cover & Single M25 Collar - Single Locking - 68mm plus Cover	\$88.18



ACCESSORIES - SINGLE LEVER






710634	Protective Cap - Single Lever - Plastic - Height 18mm	\$24.01
710634AL	Protective Cap - Single Lever - Aluminium - Height 18mm	\$59.41

PROCON HEAVY DUTY CONNECTORS - B24


B24 SERIES - 24 POLE & EARTH INSERTS - 500V/16AMP

	710124	Female Insert - 24 Pole - Screw Term. plus Wire Guard - 500V / 16A, 0.5 to 2.5mm ²	\$51.26
	710224	Male Insert - 24 Pole - Screw Term. plus Wire Guard - 500V / 16A, 0.5 to 2.5 mm ²	\$48.73
710124	710772	Female Insert - 24 Pole - Screw Term. no Wire Guard - 500V / 16A, 0.5 to 4 mm ²	\$58.35
	710776	Male Insert - 24 Pole - Screw Term. no Wire Guard - 500V / 16A, 0.5 to 4 mm ²	\$47.60
	71012404	Female 24 Pole & Earth Insert Push-in Terminals, 0.5 to 25mm ²	\$64.72
	71022404	Male 24 Pole & Earth Insert Push-in Terminals, 0.5 to 25mm ²	\$65.22
710224	710 607	Coding Pin	\$3.25

B24 SERIES - 24 POLE CRIMP INSERTS - 500V/16AMP

	710324	Crimp Contact Carrier for Sleeve Contacts - 24 Pole 500V, 16 Amps, 0.5 to 4 mm ²	\$33.92
	710424	Crimp Contact Carrier for Pin Contacts - 24 Pole 500V, 16 Amps, 0.5 to 4 mm ²	\$33.19
710324	710508	Crimp Sleeve Contact B Series - 0.14-0.37mm ²	\$2.26
	710504	Crimp Sleeve Contact B Series - 0.5 mm ²	\$1.26
	710509	Crimp Sleeve Contact B Series - 0.75mm ²	\$0.81
	710500	Crimp Sleeve Contact B Series - 1 mm ²	\$0.81
710501	710501	Crimp Sleeve Contact B Series - 1.5 mm ²	\$0.81
	710502	Crimp Sleeve Contact B Series - 2.5 mm ²	\$0.81
	710503	Crimp Sleeve Contacts B Series - 4.0 mm ²	\$0.81
710511	710518	Crimp Pin Contact B Series - 0.14-0.37mm ²	\$0.81
	710514	Crimp Pin Contact B Series - 0.5 mm ²	\$0.81
	710519	Crimp Pin Contact B Series - 0.75mm ²	\$0.81
	710510	Crimp Pin Contact B Series - 1 mm ²	\$0.81
	710511	Crimp Pin Contact B Series - 1.5 mm ²	\$0.81
	710512	Crimp Pin Contact B Series - 2.5 mm ²	\$0.81
	710513	Crimp Pin Contacts B Series - 4.0 mm ²	\$0.81
	700734	Coding Pin suitable for Crimp Contact Carriers	\$5.99

HOODS - DOUBLE LEVER - IP65

	P712024	Hood - Side Entry Double Lever - with M25 Threaded Hole - Height 65mm	\$49.07
	P712124	Hood - Side Entry Double Lever - with M32 Threaded Hole - Height 65mm	\$60.13
	P71812440	Hood - Side Entry Double Lever - with M40 Threaded Hole - Height 76mm	\$92.57
	P712224	Hood - Top Entry Double Lever - with M25 Threaded Hole - Height 65mm	\$41.98
P712124	P718324	Hood - Top Entry Double Lever - with M32 Threaded Hole - Height 65mm	\$71.27
	P71832440	Hood - Top Entry Double Lever - with M40 Threaded Hole - Height 76mm	\$93.81

WALL & PANEL HOUSINGS - DOUBLE LEVER - IP65

	714124	Panel Housing - Double Lever - Height 28mm	\$49.44
	P711024MS	Wall Housing with Single M25 Collar - Double Lever - Height 68mm	\$81.53
	P757008MS	Wall Housing with Single M32 Collar - Double Lever - Height 84mm	\$89.99
P711024MS	P75700840MS	Wall Housing with Single M40 Collar - Double Lever - Height 84mm	\$109.53

PROCON HEAVY DUTY CONNECTORS - B24

HOOD - SINGLE LEVER - IP65



P712724

P712624	Hood - Side Entry Single Lever - with M25 Threaded Hole - Height 65mm	\$50.16
P712724	Hood - Side Entry Single Lever - with M32 Threaded Hole - Height 65mm	\$54.22
P71872440	Hood - Side Entry Single Lever - with M40 Threaded Hole - Height 76mm	\$105.12
P712824	Hood - Top Entry Single Lever - with M25 Threaded Hole - Height 65mm	\$53.49
P718924	Hood - Top Entry Single Lever - with M32 Threaded Hole - Height 76mm	\$78.20
P71892440	Hood - Top Entry Single Lever - with M40 Threaded Hole - Height 76mm	\$104.50
P753808	Coupler Hood - Top Entry Single Lever - with M25 Threaded Hole - Height 70.5mm	\$77.96
P71392440	Coupler Hood - Top Entry Single Lever - with M40 Threaded Hole - Height 81.5mm	\$108.83

WALL & PANEL HOUSINGS - SINGLE LEVER - IP65



714324	Panel Housing - Single Lever - Height 28mm	\$50.49
P711424MS	Wall Housing with Single M25 Collar - Single Lever - Height 68mm	\$91.54

PROCON HEAVY DUTY CONNECTORS - B32

B32 SERIES - 32 POLE & EARTH INSERTS - 500V/16AMP



710116 & 710132

710116	Female - 16 Pole & Earth Screw Insert with Wire Guard, 0.5 to 2.5 mm²	\$39.51
710216	Male - 16 Pole & Earth Screw Insert with Wire Guard, 0.5 to 2.5 mm²	\$37.61
710132	Female - 16 Pole & Earth Screw Insert with Wire Guard, 0.5-2.5 mm² (17-32)	\$39.51
710232	Male - 16 Pole & Earth Screw Insert with Wire Guard, 0.5 to 2.5 mm² (17-32)	\$37.61
710607	Coding Pin	\$3.25

B32 SERIES - 32 POLE & EARTH CRIMP - 500V/16AMP



710316 & 710332



710511



710500

710316	Crimp Contact Carrier for Sleeve Contacts - 16 Pole 500V, 16 Amps, 0.5 to 4 mm²	\$28.43
710416	Crimp Contact Carrier for Pin Contacts - 16 Pole 500V, 16 Amps, 0.5 to 4 mm²	\$26.60
710332	Crimp Contact Carrier for Sleeve Contacts - 16 Pole 500V/16A, 0.5 to 4 mm² (17-32)	\$28.43
710432	Crimp Contact Carrier for Pin Contacts - 16 Pole 500V/16A, 0.5 to 4 mm² (17-32)	\$26.60
710508	Crimp Sleeve Contact B Series - 0.14-0.37mm²	\$2.26
710504	Crimp Sleeve Contact B Series - 0.5 mm²	\$1.26
710509	Crimp Sleeve Contact B Series - 0.75mm²	\$0.81
710500	Crimp Sleeve Contact B Series - 1 mm²	\$0.81
710501	Crimp Sleeve Contact B Series - 1.5 mm²	\$0.81
710502	Crimp Sleeve Contact B Series - 2.5 mm²	\$0.81
710503	Crimp Sleeve Contacts B Series - 4.0 mm²	\$0.81
710518	Crimp Pin Contact B Series - 0.14-0.37mm²	\$0.81
710514	Crimp Pin Contact B Series - 0.5 mm²	\$0.81
710519	Crimp Pin Contact B Series - 0.75mm²	\$0.81
710510	Crimp Pin Contact B Series - 1 mm²	\$0.81
710511	Crimp Pin Contact B Series - 1.5 mm²	\$0.81
710512	Crimp Pin Contact B Series - 2.5 mm²	\$0.81
710513	Crimp Pin Contacts B Series - 4.0 mm²	\$0.81
700734	Coding Pin suitable for Crimp Contact Carriers	\$5.99

HOODS & HOUSINGS - DOUBLE LEVER - IP65



T718132	Hood - Side Entry Double Lever - with M32 Threaded Hole - Height 80mm - IP65	\$134.04
T718332	Hood - Top Entry Double Lever - with M32 Threaded Hole - Height 80mm - IP65	\$165.48
714132	Panel Housing - Double Lever - Height 30mm - IP65	\$96.07

PROCON HEAVY DUTY CONNECTORS - BA6/BB

BA6 SERIES - 6 POLE & EARTH - 690V/35AMP



710621

710620	Female 6 Pole & Earth Screw Terminal Insert plus Wire Guard, 0.5 to 6 mm ²	\$93.67
710621	Male 6 Pole & Earth Screw Terminal Insert plus Wire Guard, 0.5 to 6 mm ²	\$85.21

Please select Housings from B16 Range

BB10 SERIES - 10 POLE & EARTH CRIMP INSERTS 500V/16AMP



710311	Crimp Contact Carrier for Sleeve Contacts - 10 Pole & Earth	\$52.42
710411	Crimp Contact Carrier for Pin Contacts - 10 Pole & Earth	\$52.42

Please select Housings from B6 Range & Crimp Inserts below

BB18 SERIES - 18 POLE & EARTH CRIMP INSERTS 500V/16AMP



710318	Crimp Contact Carrier for Sleeve Contacts - 18 Pole & Earth	\$58.57
710418	Crimp Contact Carrier for Pin Contacts - 18 Pole & Earth	\$58.57

Please select Housings from B10 Range & Crimp Inserts below

BB32 SERIES - 32 POLE & EARTH CRIMP INSERTS 500V/16AMP



710333	Crimp Contact Carrier for Sleeve Contacts - 32 Pole & Earth	\$65.81
710433	Crimp Contact Carrier for Pin Contacts - 32 Pole & Earth	\$65.81

Please select Housings from B16 Range & Crimp Inserts below

BB46 SERIES - 46 POLE & EARTH CRIMP INSERTS 500V/16AMP



710346	Crimp Contact Carrier for Sleeve Contacts - 46 Pole & Earth	\$82.43
710446	Crimp Contact Carrier for Pin Contacts - 46 Pole & Earth	\$82.43

Please select Housings from B24 Range & Crimp Inserts below

CRIMP SLEEVES & PINS



710511

710508	Crimp Sleeve Contact B Series - 0.14-0.37mm ²	\$2.26
---------------	--	---------------

710504	Crimp Sleeve Contact B Series - 0.5 mm ²	\$1.26
--------	---	--------

710509	Crimp Sleeve Contact B Series - 0.75mm ²	\$0.81
--------	---	--------



710500

710500	Crimp Sleeve Contact B Series - 1 mm ²	\$0.81
---------------	---	---------------

710501	Crimp Sleeve Contact B Series - 1.5 mm ²	\$0.81
--------	---	--------

710502	Crimp Sleeve Contact B Series - 2.5 mm ²	\$0.81
--------	---	--------

710518	Crimp Pin Contact B Series - 0.14-0.37mm ²	\$0.81
--------	---	--------

710514	Crimp Pin Contact B Series - 0.5 mm ²	\$0.81
--------	--	--------

710519	Crimp Pin Contact B Series - 0.75mm ²	\$0.81
--------	--	--------





710510	Crimp Pin Contact B Series - 1 mm ²	\$0.81
--------	--	--------

710511	Crimp Pin Contact B Series - 1.5 mm ²	\$0.81
--------	--	--------


710512	Crimp Pin Contact B Series - 2.5 mm ²	\$0.81
--------	--	--------

HEAVY DUTY CONNECTORS - D7/D8/D25

D7/D8 SERIES - 7 POLE & EARTH/8 POLE & EARTH CRIMP INSERTS - 250V/10AMP

	720307	Female 7 Pole Insert for Sleeve Contacts, 0.5 to 2.5 mm ²	\$8.85
	720407	Male 7 Pole Insert for Sleeve Contacts, 0.5 to 1.5 mm ²	\$9.95
	720308	Female 8 Pole Insert for Sleeve Contacts, 0.5 to 2.5 mm ²	\$8.85
	720408	Male 8 Pole Insert for Sleeve Contacts, 0.5 to 1.5 mm ²	\$9.95
	720506	Sleeve Contacts D Series - 0.14 - 0.37 mm ²	\$2.06
	720507	Sleeve Contacts D Series - 0.5 mm ²	\$2.06
	720508	Sleeve Contacts D Series - 0.75 - 1 mm ²	\$2.06
	720509	Sleeve Contacts D Series - 1.5 mm ²	\$2.06
	720502	Sleeve Contacts D Series - 2.5 mm ²	\$2.06
	720516	Pin Contacts D Series - 0.14 - 0.37 mm ²	\$2.06
	720517	Pin Contacts D Series - 0.5 mm ²	\$2.06
	720518	Pin Contacts D Series - 0.75 - 1 mm ²	\$2.06
	720519	Pin Contacts D Series - 1.5 mm ²	\$2.06
	720512	Pin Contacts D Series - 2.5 mm ²	\$2.06
		Please select Housings from A3 Range	
			
			




D25 SERIES - 25 POLE & EARTH CRIMP INSERTS - 250V/10AMP

	720325	Crimp Contact Carrier for Sleeve Contacts (female) - 25 Pole & Earth 0.14-2.5 mm ²	\$29.49
	720425	Crimp Contact Carrier for Pin Contacts (male) - 25 Pole & Earth, 0.14 to 2.5 mm ²	\$29.49
	720506	Sleeve Contacts D Series - 0.14 - 0.37 mm ²	\$2.06
	720507	Sleeve Contacts D Series - 0.5 mm ²	\$2.06
	720508	Sleeve Contacts D Series - 0.75 - 1 mm ²	\$2.06
	720509	Sleeve Contacts D Series - 1.5 mm ²	\$2.06
	720502	Sleeve Contacts D Series - 2.5 mm ²	\$2.06
	720516	Pin Contacts D Series - 0.14 - 0.37 mm ²	\$2.06
	720517	Pin Contacts D Series - 0.5 mm ²	\$2.06
	720518	Pin Contacts D Series - 0.75 - 1 mm ²	\$2.06
	720519	Pin Contacts D Series - 1.5 mm ²	\$2.06
	720512	Pin Contacts D Series - 2.5 mm ²	\$2.06

Please select Housings from A16 Range




PROCON HEAVY DUTY CONNECTORS - D40/D64/DD42

D40 SERIES - 40 POLE & EARTH CRIMP INSERTS - 250V/10AMP

	720340	40 Pole - Crimp Carrier Sleeve Contacts, 0.14 to 2.5 mm ²	\$39.11
	720440	40 Pole - Crimp Carrier Pin Contacts, 0.14 to 2.5 mm ²	\$39.11
	720506	Sleeve Contacts D Series - 0.14 - 0.37 mm ²	\$2.06
	720507	Sleeve Contacts D Series - 0.5 mm ²	\$2.06
	720508	Sleeve Contacts D Series - 0.75 - 1 mm ²	\$2.06
	720509	Sleeve Contacts D Series - 1.5 mm ²	\$2.06
	720502	Sleeve Contacts D Series - 2.5 mm ²	\$2.06
	720516	Pin Contacts D Series - 0.14 - 0.37 mm ²	\$2.06
	720517	Pin Contacts D Series - 0.5 mm ²	\$2.06
	720518	Pin Contacts D Series - 0.75 - 1 mm ²	\$2.06
	720519	Pin Contacts D Series - 1.5 mm ²	\$2.06
	720512	Pin Contacts D Series - 2.5 mm ²	\$2.06
			



Please select Housings from B16 Range

D64 SERIES - 64 POLE & EARTH CRIMP INSERTS - 250V/10AMP

	720364	64 Pole - Crimp Carrier Sleeve Contacts, 0.14 to 2.5 mm ²	\$39.11
	720464	64 Pole - Crimp Carrier Pin Contacts, 0.14 to 2.5 mm ²	\$39.11
	720506	Sleeve Contacts D Series - 0.14 - 0.37 mm ²	\$2.06
	720507	Sleeve Contacts D Series - 0.5 mm ²	\$2.06
	720508	Sleeve Contacts D Series - 0.75 - 1 mm ²	\$2.06
	720509	Sleeve Contacts D Series - 1.5 mm ²	\$2.06
	720502	Sleeve Contacts D Series - 2.5 mm ²	\$2.06
	720516	Pin Contacts D Series - 0.14 - 0.37 mm ²	\$2.06
	720517	Pin Contacts D Series - 0.5 mm ²	\$2.06
	720518	Pin Contacts D Series - 0.75 - 1 mm ²	\$2.06
	720519	Pin Contacts D Series - 1.5 mm ²	\$2.06
	720512	Pin Contacts D Series - 2.5 mm ²	\$2.06
			

Please select Housings from B24 Range

DD42 SERIES - 42 POLE & EARTH CRIMP INSERTS - 250V/10AMP



	750142	42 Pole - Crimp Carrier Sleeve Contacts, 0.14 to 2.5 mm ²	\$48.73
	750242	42 Pole - Crimp Carrier Pin Contacts, 0.14 to 2.5 mm ²	\$48.33
	720506	Sleeve Contacts D Series - 0.14 - 0.37 mm ²	\$2.06
	720507	Sleeve Contacts D Series - 0.5 mm ²	\$2.06
	720508	Sleeve Contacts D Series - 0.75 - 1 mm ²	\$2.06
	720509	Sleeve Contacts D Series - 1.5 mm ²	\$2.06
	720516	Pin Contacts D Series - 0.14 - 0.37 mm ²	\$2.06
	720517	Pin Contacts D Series - 0.5 mm ²	\$2.06
	720518	Pin Contacts D Series - 0.75 - 1 mm ²	\$2.06
	720519	Pin Contacts D Series - 1.5 mm ²	\$2.06

Please select Housings from B10 Range



PROCON HEAVY DUTY CONNECTORS - TOOLS

TOOLS & ACCESSORIES

	71058220	Trumpet Glands with Strain Relief and Bending Protection - M20	\$28.86
	71058525	Trumpet Glands with Strain Relief and Bending Protection - M25	\$36.17
	71058632	Trumpet Glands with Strain Relief and Bending Protection - M32	\$47.22
710613	710613	Insertion Tool for DD Style Contacts	\$54.38
	710614	Removal Tool for D & DD Style Contacts	\$147.70
	719619	Removal Tool for B & BB Style Contacts	\$147.70
	710601	Guiding Pin	\$2.66
	710602	Guiding Sleeve	\$3.04